



PR 270/7,5T

⋮

K SERI



PR SERIES - 7,5 HP

Comp. pump with low rpm

| Codice | Modello | Pressione | | N. Cilindri | Potenza Nominale Motore | | Aria Aspirata | | | Serb. | Voltaggio | Giri/min | Peso | Dimensione Imballa |
|---|----------------|-----------|--------|--------------|-------------------------|-----|------------------|-----|-------------------|-------|------------|----------|--------|---------------------|
| Coef. | Model | Pressure | | N. Cylinders | Nominal Motor Rating | | Air Displacement | | | Tank | Voltage | r.p.m. | Weight | Packaging Dimension |
| - | Series | bar | p.s.i. | CIL | Hp | kW | lit./min. | CFM | m ³ /h | lit. | Volt/ph/Hz | r.p.m. | kg. | cm. |
| COMPRESSORI CARRELLATI CON TESTATA - PORTABLE COMPRESSORS WITH COMPRESSOR PUMP | | | | | | | | | | | | | | |
| 20709 | PR 270/7,5T | 10 | 145 | 2 | 7,5 | 5,5 | 872 | 31 | 52,3 | 270 C | 400/3/50 | 1200 | 185 | 155X57X118 |
| 20809 | PR 500/7,5T | | | | | | | | | 500 C | 450/3/50 | | 215 | 203X70X131 |
| COMPRESSORI FISSI CON TESTATA - FIXED COMPRESSORS WITH COMPRESSOR PUMP | | | | | | | | | | | | | | |
| 21709 | PR 270/7,5T | 10 | 145 | 2 | 7,5 | 5,5 | 872 | 31 | 52,3 | 270 F | 400/3/50 | 1200 | 185 | 155X57X118 |
| 21809 | PR 500/7,5T | | | | | | | | | 500 F | 450/3/50 | | 215 | 203X70X131 |
| 21709 | PR 270/7,5T ST | 10 | 145 | 2 | 7,5 | 5,5 | 872 | 31 | 52,3 | 270 F | 400/3/50 | 1200 | 200 | 155X57X118 |
| 21809 | PR 500/7,5T ST | | | | | | | | | 500 F | 450/3/50 | | 230 | 203X70X131 |