

# WP SERIES SCISSOR LIFT TABLE

\* The Moving Scissor Lift Table provides an ergonomic solution to lifting, positioning and transporting heavy loads.



Product Model	WP300	WP500	WP800	WP1000
Load Capacity(kg)	300kg	500kg	800kg	1000kg
Max. Lifting Height(mm)	900mm	900mm	1000mm	1000mm
Min. Lowest Height(mm)	300mm	350mm	300mm	400mm
Product Self Weight(kg)	80kg	105kg	83kg	105kg
Dimensions of Table(mm)	910*500*50	850*500*50	1000*510*50	1000*510*50
Overall Dimensions(mm)	1130*500*970	1250*510*960	1130*500*970	1300*510*1000
Product Packing Size(mm)	925*515*320	1015*515*370	925*515*320	1130*570*400
Load in 20' Container(pcs)	120	120	120	120








**\* High strength wear-resistant polyurethane casters, low friction resistance, low noise.**



**The increased internal size and durable high strength bearing capacity and stable performance.**



**table has good toughness, durability and stability.**





### **Split Type Pump**

\* The cylinder and pump station are split.

### **Integrated Type Pump**

\* The cylinder and pump station are integrated.



**\* This scissor lift table adopts high quality sealing oil pump to avoid leakage and improve work efficiency.**



---

**The foot pedal lengthening design makes the operation easier, simple and convenient.**

---



