





- 70A plasma cutting inverter system with compressed air and strike on contact of the pilot arc. Integrated connection interface with automated cutting systems. 3ph 230/400V power supply. With PV torch.
- Max. cut 30 mm. Advanced functions: grid cutting, 4T cut and gouging of all the conductor materials.
- Interfacing with automated cutting systems is also an option. Specific connector to set the various control signals
 of the cutting process. Compatible with remote control.
- High stability cutting current.
- LCD display for simple reading and adjustment.
- Thermostatic, overvoltage, undervoltage, overcurrent protection, circuit in torch, phase failure, no air protection.



TECHNICAL DATA

CODE	816170	MAX ABSORBED CURRENT	16 / 13 A	COMPRESSED AIR PRESSURE	4 - 5 bar
THREEPHASE MAINS VOLTA	GE 230 / 400 V	MAX ABSORBED POWER	5,5 / 8,5 kW	PROTECTION DEGREE	IP23
MAINS FREQUENCY	50 / 60 Hz	EFFICIENCY	90 %	DIMENSIONS (LxWxH)	47 x 19 x 35,5 cm
CURRENT RANGE	20 - 50 / 20 - 70 A	POWER FACTOR(cosphi) (cosphi)	0,9	WEIGHT	15,8 kg
MAX CURRENT EN60974-1	50@35%/70@30%A	MAX CUTTING THICKNESS	20 / 30 mm		
MAX NO LOAD VOLTAGE	310 / 325 V	COMPRESSED AIR CAPAC.	200 l/min		

ON REQUEST ACCESSORIES

PLASMA	CONSUMABLES BOXES
804108	CONSUMABLES BOX FOR PV TORCH
PLASMA	TORCHES
802955	PXA PLASMA TORCH 12 M
CIRCULA	AR CUTTING UNITS
804059	CIRCULAR CUTTING UNIT
OTHER F	PLASMA ACCESSORIES
OTHER F 804340	PLASMA ACCESSORIES MMS-10 MOISTURE & MIXTURE STOP FILTER
804340	MMS-10 MOISTURE & MIXTURE STOP FILTER
804340 804343 804976	MMS-10 MOISTURE & MIXTURE STOP FILTER MMS-10 AIR FILTER CARTRIDGES 4 PCS

DESCRIPTION

Inverter, compressed air plasma cutting system, with contact striking of pilot arc.

Allows a rapid, distortion-proof cutting, grid cutting and gauging of all conductive materials such as steel, stainless steel, galvanised steel, aluminium, copper, brass, etc.

It allows interfacing with automated cutting systems.

Features:

- easy to carry;
- high cutting current stability;
- user-friendly easy to read and adjust digital panel;
- remote control;
- thermostatic, overvoltage, undervoltage, overcurrent, torch short circuit, phase and air failure protections.

Complete with torch.

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST





BROCHURE

USEFUL LINKS



VIDEO