

BATTERY PULLER





- Lithium battery portable spotter for straightening steel sheets.
- Digital control with synergic variation in welding parameters based on type of work.
- Interchangeable and rechargeable LiPo4 battery.
- Integrated earth. 20mm sheet metal cleaning area.
- Light, easy to manage, it offers a secure grip in all work positions.
- Part of the SMART REPAIR range, products designed to increase the efficiency and quality of bodywork.



TECHNICAL DATA

CODE	828130	SECONDARY NO LOAD VOLTAGE	7,4 V	DIMENSIONS (LxWxH)	52x13,5x42(50,2x8,7x22,9)cm
SINGLEPHASE MAINS VOLTAGE	100 - 240 V	RMS SPOT-WELDING CURRENT	1800 A	WEIGHT	4,26 (2,3 gun) kg
MAINS FREQUENCY	50 / 60 Hz	SPOT TIME	20-100 ms		
PEAK SPOT-WELDING CURRENT	2800 A	PROTECTION DEGREE	IP20		

SUPPLIED ACCESSORIES

168000	MULTI PLUG POWER SUPPLY SET
315111	BATTERY KIT
362076	CARRY CASE

ON REQUEST ACCESSORIES

DENT PULLING CONSUMABLES				
802943	FLAT HOOK WASHERS 50 PCS			
802944	TWISTED HOOK WASHERS 50 PCS			
804254	TIPS 10 PCS			
982346	BATTERY PULLER BATTERY			
804314	HOOK WASHER HOLDER KIT			

DESCRIPTION

Lithium battery spotter best suitable for all straightening processes of steel sheets.

Free of cables, handy and powerful it is the indispensable tool for those who want to increase the efficiency of bodywork with a significant saving in time and costs.

The elegant and ergonomic design makes it very easy to handle, ensuring a secure grip in all working positions. Designed for fast repairs, BATTERY PULLER is the ideal tool to be used in any area of the bodywork including those of preparation.

The on-board digital control, allows you to synergistically vary the welding parameters based on the type of work carried out.

Equipped with an interchangeable and rechargeable LiPo4 lithium battery, it guarantees continuity in processing thanks to an almost infinite autonomy.

Complete with: Power supply, battery, plastic professional carry case.

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST



BROCHURE



USEFUL LINKS



VIDEO